



DOCKET NO.: H0498.70170US00

JK
IFV

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Allen et al.
Serial No.: 10/611,416
Confirmation No.: 1935
Filed: July 1, 2003
Patent No.: 6852543
For: METHOD AND APPARATUS FOR CONTINUOUS MEASUREMENT
OF SULFATE

Examiner: Gakh, Yelena G.
Art Unit: 1743

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 10th day of October, 2006.

Melanie Hunt
Melanie Hunt

CERTIFICATE OF CORRECTION BRANCH

Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

Sir:

OCT 16 2006

Transmitted herewith are the following documents:

of Correction

- Request for Certificate of Correction
- Certificate of Correction
- Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 646-8000, Boston, Massachusetts.

A check is not enclosed. If a fee is required, the Commissioner is hereby authorized to charge Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,
George Allen, et al., Applicant

By:

Robert H. Walat, Reg. No.: 46,324
Timothy J. Oyer, Ph.D., Reg. No.: 36,628
Wolf, Greenfield & Sacks, P.C.
600 Atlantic Avenue
Boston, Massachusetts 02210-2206
Telephone: (617) 646-8000

Docket No.: H0498.70170US00

Date: October 10, 2006

xNDDx

946398.1

OCT 17 2006



DOCKET NO.: H0498.70170US00


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Allen et al.
Serial No.: 10/611,416
Confirmation No.: 1935
Filed: July 1, 2003
Patent No.: 6852543
For: METHOD AND APPARATUS FOR CONTINUOUS MEASUREMENT
OF SULFATE

Examiner: Gakh, Yelena G.
Art Unit: 1743

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 10th day of October, 2006.


Melanie Hunt

CERTIFICATE OF CORRECTION BRANCH

Commissioner For Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith are the following documents:

- Request for Certificate of Correction
- Certificate of Correction
- Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 646-8000, Boston, Massachusetts.

A check is not enclosed. If a fee is required, the Commissioner is hereby authorized to charge Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,
George Allen, et al., Applicant

By:



Robert H. Walat, Reg. No.: 46,324
Timothy J. Oyer, Ph.D., Reg. No.: 36,628
Wolf, Greenfield & Sacks, P.C.
600 Atlantic Avenue
Boston, Massachusetts 02210-2206
Telephone: (617) 646-8000

Docket No.: H0498.70170US00

Date: October 10, 2006

xNDDx

946398.1

OCT 17 2006



Docket No.: H0498.70170US00
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Allen et al.
Serial No.: 10/611416
Confirmation No.: 1935
Filed: July 1, 2003
Patent No.: 6852543
For: METHOD AND APPARATUS FOR CONTINUOUS
MEASUREMENT OF SULFATE

Examiner: Gakh, Yelena G.
Art Unit: 1743

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: 10/10/06

Melanie L. Hunt
Melanie L. Hunt

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

In Claim 27, column 17, line 2, change "a sample" to --air--.

The error appears to have been made by the Patent Office because claim 63, which was renumbered as claim 27 in the issued patent, recited --air-- instead of "a sample" in the latest amendment filed on August 18, 2004. Accordingly, no fee is required.

OCT 17 2006

Transmitted herewith is a proposed Certificate of Correction effecting such amendment.
Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: October 10, 2006

Respectfully submitted,

By 

Robert H. Walat

Registration No.: 46,324

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza

600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6852543
APPLICATION NO. : 10/611416
ISSUE DATE : February 8, 2005
INVENTOR(S) : George Allen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 27, column 17, line 2, change "a sample" to --air--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Robert H. Walat
WOLF, GREENFIELD & SACKS, P.C.
Federal Reserve Plaza
600 Atlantic Avenue
Boston, Massachusetts 02210-2206

1

OCT 17 2006